




Discoh | Ohreo by Manning Lighting



Discoh

Far out shapes, groovy trim options, and performance that rocks. That's Discoh, a matching family of energy-efficient pendants, sconces, and surface ceiling mount fixtures clad in textured stainless steel or aluminum metal trims. Choose from three standard textures (or specify a custom trim) and a flat bottom disk or shallow bowl diffuser.






Ohreo


Ohreo's spun aluminum-trim rings sandwich an acrylic diffuser to create a modern, sleek profile. Choose a flat disk acrylic bottom or shallow bowl diffuser, then accent your pendant with a variety of stem options. Energy-efficient compact fluorescents provide ample uplight yet evenly illuminate the lens. A matching surface ceiling mount and wall sconce complete the family.

Discoh



SPECIFICATIONS:

Housing: Spun aluminum construction clad with choice of textured aluminum or stainless steel trim options:



Finish: Housing - Standard or custom painted finish. Trim - Painted or natural stainless steel finish.

Diffuser: 1/8" thick virgin opal white acrylic.

Ballasts: Integral electronic high power factor 120/277 volt, 60Hz ballasts. Dimming and emergency options available.

Approvals: UL and C-UL listed.

Pendant - Bowl Bottom Diffuser

Fixture #	H	D	OAH	Fluorescent Lamping
DP-891	5.75"	23.5"	31"	4F39 2G11 base
DP-893	8"	29"	31.5"	4F40 2G11 base
DP-895	9.75"	34.25"	33"	6F40 2G11 base

Pendant - Disk Bottom Diffuser

Fixture #	H	D	OAH	Fluorescent Lamping
DP-890	5"	23.5"	29"	4F39 2G11 base
DP-892	5.5"	29"	29.5"	4F40 2G11 base
DP-894	6.75"	34.25"	31"	6F40 2G11 base

Ceiling Mount - Bowl Bottom Diffuser

Fixture #	H	D	Fluorescent Lamping
DC-891	7.25"	23.5"	4F39 2G11 base

Ceiling Mount - Disk Bottom Diffuser


Fixture #	H	D	Fluorescent Lamping
DC-890	6.5"	23.5"	4F39 2G11 base

Sconce

Fixture #	H	W	E	Fluorescent Lamping
DS-890	10"	17.25"	4"	2FQ26 G24q-3 base

For full specifications visit www.manningltg.com.

Ohreo



SPECIFICATIONS:

Housing: Dual spun aluminum trim rings and aluminum lamp body.

Finish: Brushed aluminum or standard or custom painted finish.

Diffuser: 1/8" thick thermoformed virgin opal white acrylic.

Ballasts: Integral electronic high power factor 120/277 volt, 60Hz ballasts. Dimming and emergency options available.

Approvals: UL and C-UL listed.

Pendant - Bowl Bottom Diffuser

Fixture #	H	D	OAH	Fluorescent Lamping
DP-881	7"	24"	31"	4F39 2G11 base
DP-883	7.5"	30"	31.5"	4F40 2G11 base
DP-885	8.75"	36"	33"	6F40 2G11 base

Pendant - Disk Bottom Diffuser

Fixture #	H	D	OAH	Fluorescent Lamping
DP-880	5"	24"	29"	4F39 2G11 base
DP-882	5.5"	30"	29.5"	4F40 2G11 base
DP-884	6.75"	36"	31"	6F40 2G11 base

Ceiling Mount - Bowl Bottom Diffuser

Fixture #	H	D	Fluorescent Lamping
DC-883	8.5"	24"	4F39 2G11 base

Ceiling Mount - Disk Bottom Diffuser

Fixture #	H	D	Fluorescent Lamping
DC-880	6.5"	18"	1FC40 T5 2GX13 base
DC-882	6.5"	24"	4F39 2G11 base

Sconce

Fixture #	H	W	E	Fluorescent Lamping
DS-880	10"	17.25"	4"	2FQ26 G24q-3 base